



111

0360

PATENT  
Customer No. 22,852  
Attorney Docket No. 07883.0033

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: )  
)  
Peter BOEKSTEGERS ) Group Art Unit: 3763  
)  
Application No.: 09/845,154 ) Examiner: Unknown  
)  
Filed: May 1, 2001 )  
)  
For: METHODS AND DEVICES FOR )  
DELIVERING A VENTRICULAR )  
STENT )  
Assistant Commissioner for Patents  
Washington, DC 20231

Sir:

**RESPONSE TO NOTICE TO FILE  
CORRECTED APPLICATION PAPERS**

In response to the Notice to File Corrected Application Papers dated June 27, 2001, Applicant submits thirteen (13) sheets of substitute drawings containing Figures 1-15b. These drawing sheets have appropriate margins in accordance with 37 CFR 1.84(g). Applicant also submits herewith a copy of the Notice of File Corrected Application Papers.

Please grant any extensions of time required to enter this response and charge any additional required fees to our deposit account no. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,  
GARRETT & DUNNER, L.L.P.

By: Susanne C. Tinker  
Susanne C. Tinker  
Reg. No. 44,472

Dated: August 24, 2001

189877\_1

AUG 24 2001

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/845.154	05/01/2001	Peter Boekstegers	07883.0033

**CONFIRMATION NO. 2668**

## FORMALITIES LETTER



\*OC000000006230587\*

Finnegan, Henderson, Farabow  
Garrett & Dunner, L.L.P.  
1300 I Street, N.W.  
Washington, DC 20005-3315

Date Mailed: 06/27/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

**Filing Date Granted**

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

**The required item(s) identified below must be timely submitted to avoid abandonment:**

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

***A copy of this notice MUST be returned with the reply.***

## Customer Service Center

**Initial Patent Examination Division (703) 308-1202**

**PART 2 - COPY TO BE RETURNED WITH RESPONSE**